

10/287,029

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------|------------------|
| 1 | BRS | L1 | 4 | ("4274624" "5881349" "6049691" "6246843").PN. | US-PGPUB; USPAT; USOCR | 2005/06/01 18:16 |
| 2 | IS&R | L2 | 1 | ("6505027").PN. | USPAT | 2005/06/01 18:17 |
| 3 | BRS | L3 | 7 | ("5331385" "5543904" "5745833" "6005594" "6021303" "6057074" "6131010").PN. | US-PGPUB; USPAT; USOCR | 2005/06/01 18:17 |
| 4 | BRS | L4 | 329 | (fixing near apparatus) and (magnetic near flux) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:08 |
| 5 | BRS | L5 | 177 | L4 and (induction with coil\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:08 |
| 6 | BRS | L6 | 177 | L4 and (induction with coil\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 18:21 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|------------------|
| 7 | BRS | L7 | 20 | L6 and ((slid\$3 or movable) with member) and (rotat\$4 with drive) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:09 |
| 8 | BRS | L8 | 157 | 6 not 7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:11 |
| 9 | BRS | L9 | 11 | ("20020141794" "6055403" "6175713" "6198901" "6377775" "6400924" "6405014" "6414500" "6453144" "6483088" "6507008").PN. | US-PGPUB; USPAT; USOCR | 2005/06/01 18:49 |
| 10 | BRS | L10 | 11 | ("6026273" "6078033" "6078781" "6087641" "6097926" "6121592" "6137985" "6154629" "6252212" "6255633" "6278852").PN. | US-PGPUB; USPAT; USOCR | 2005/06/01 18:54 |
| 11 | IS&R | L11 | 4556 | (399/328,329,333,320,45,67,330,334,335).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:07 |
| 12 | IS&R | L12 | 3725 | (219/216,619).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:08 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|------------------------------------------------------------------------|------------------------------------------------------------------|------------------|
| 13 | BRS | L13 | 7387 | 11 or 12 | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:08 |
| 14 | BRS | L14 | 156 | 13 and (fixing near apparatus) and (magnetic near flux) | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:08 |
| 15 | BRS | L16 | 17 | 15 and ((slid\$3 or movable) with member) and (rotat\$4 with drive) | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:09 |
| 16 | BRS | L18 | 0 | 16 not 7 | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:10 |
| 17 | BRS | L19 | 17 | 15 not 8 | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:11 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---------------------------------|------------------------------------------------------------------|------------------|
| 18 | BRS | L15 | 124 | 14 and (induction with coil\$1) | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT | 2005/06/01 19:13 |